



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/748,674	12/31/2003	Tamas Major	47092.00067	2812
32294 7590 12/20/2007 SQUIRE, SANDERS & DEMPSEY L.L.P. 14TH FLOOR 8000 TOWERS CRESCENT TYSONS CORNER, VA 22182			EXAMINER PATEL, JAY P	
			ART UNIT 2619	PAPER NUMBER
			MAIL DATE 12/20/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/748,674

Applicant(s)

MAJOR ET AL.

Examiner

Jay P. Patel

Art Unit

2619

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 31 December 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Claim Objections*

1. Claims 7, 11 and 14 are objected to because of the following informalities: Claim 11 is identical to claim 1 and claim 14 is identical to claim 7. Claim 7, page 11, line 12, the word device should be changed to devices. Appropriate correction is required.

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

2. Claims 1-14 are rejected under 35 U.S.C. 102(a) as being anticipated by Wang.
3. In regards to claim 1, Wang show in figure 13, a configuration of a router system 1300 (a router device for routing data packets in a packet data network) with two virtual routers VR1 and VR2 (at least two virtual router means to which said separate dedicated link layers are allocated for at least one of transmitting data packets to and receiving data packets from the packet data network) which share the switching fabric bandwidth (sharing an available capacity); the resource allocator 620 allocates half of the bandwidth of interface 1 to VR1 and half of the bandwidth to VR2 (at least two separate dedicated link layers having predetermined dedicated link capacities; interface 1 anticipates, at least one of a real link layer and a physical layer) (see page 5, paragraphs 71 and 72).
4. In regards to claim 2, each virtual router is allocated a bandwidth of 5 Gbps.

5. In regards to claim 3, the resource allocator 620 allocates half of bandwidth to VR1 and half bandwidth to VR2.
6. In regards to claim 4, figure 5 shows memory 514; memory 514 stores one or more routing table.
7. In regards to claim 5, figure 13 is a configuration of a stand alone router system.
8. In regards to claim 6, each virtual router may perform the functions of one or more regional routers, backbone routers, and/or edge routers (see paragraph 55 on page 4).
9. In regards to claim 7, Wang shows in figure 2, a central network 210, connected to customer networks 251-253 (a shared network system comprising a plurality of router devices for routing data packets in a packet data network). Furthermore, Wang show in figure 13, a configuration of a router system 1300 with two virtual routers VR1 and VR2 (at least two virtual router means to which said separate dedicated link layers are allocated for at least one of transmitting data packets to and receiving data packets from the packet data network) which share the switching fabric bandwidth (sharing an available capacity); the resource allocator 620 allocates half of the bandwidth of interface 1 to VR1 and half of the bandwidth to VR2 (at least two separate dedicated link layers having predetermined dedicated link capacities; interface 1 anticipates, at least one of a real link layer and a physical layer) (see page 5, paragraphs 71 and 72).

In further regards to claim 7, each virtual router may perform the functions of one or more regional routers, backbone routers, and/or edge routers (see paragraph 55 on

page 4). Furthermore, POP 400 is inclusive of router system 410 (see figure 4) and router system 410 is further inclusive of virtual routers 630 (see figure 6).

Furthermore, POPs 212-222 in figure 2 may include one or more routing systems that decide how and where to send packets of information (see paragraph 31 on page 2). Furthermore, CPEs 240-244 may include one (a first set of router devices among said plurality of router devices, wherein said first set of router devices includes a first set of virtual routers means that are connected via a first set of dedicated link layers to for at least a first virtual network) or more routers (a second set of routers among said plurality of router devices, wherein said second set of router devices includes a second set of virtual router means that are connected via a second set of dedicated link layers to form at least a separate second virtual network) for connecting a customer network 251-253 to a POP 212-220 (see paragraph 33 on page 2).

In regards to claim 8, each virtual router may perform the functions of one or more regional routers, backbone routers, and/or edge routers (see paragraph 55 on page 4) and furthermore, CPEs 240-244 may include one or more routers for connecting a customer network 251-253 to a POP 212-220 (see paragraph 33 on page 2).

10. In regards to claim 9, Wang shows in figure 2, a central network 210, connected to customer networks 251-253 (a packet data network). Wang shows in figure 13, a configuration of a router system 1300 with two virtual routers VR1 and VR2 which share the switching fabric bandwidth (sharing network resources); the resource allocator 620 allocates half of the bandwidth of interface 1 to VR1 and half of the bandwidth to

VR2 (separating a plurality of link layers into at least a first separated link layer and a second separated link layer and allocating predetermined portions of an available link layer capacity to said first separated link layer and a said second separate link layer) (see page 5, paragraphs 71 and 72).

In further regards to claim 9, each virtual router may perform the functions of one or more regional routers, backbone routers, and/or edge routers (see paragraph 55 on page 4) and furthermore, CPEs 240-244 may include one or more routers for connecting a customer network 251-253 to a POP 212-220 (see paragraph 33 on page 2). And furthermore, since the bandwidth is allocated between the virtual routers, Wang also anticipates using first separated link layers for data transmission in a first virtual network and a second separated link layer for data transmission in a second virtual network.

In regards to claim 10, each virtual router is allocated a bandwidth of 5 Gbps.

In regards to claim 11, the claim is identical to claim 1.

11. In regards to claim 12, Wang shows in figure 2, a central network 210, connected to customer networks 251-253 (a packet data network). Wang shows in figure 13, a configuration of a router system 1300 with two virtual routers VR1 and VR2 which share the switching fabric bandwidth (sharing network resources); the resource allocator 620 allocates half of the bandwidth of interface 1 to VR1 and half of the bandwidth to VR2 (separating means for separating a plurality of link layers into at least a first separated link layer and a second separated link layer and allocation means for allocating predetermined portions of an available link layer capacity to said first

separated link layer and a said second separate link layer) (see page 5, paragraphs 71 and 72).

In further regards to claim 12, each virtual router may perform the functions of one or more regional routers, backbone routers, and/or edge routers (see paragraph 55 on page 4) and furthermore, CPEs 240-244 may include one or more routers for connecting a customer network 251-253 to a POP 212-220 (see paragraph 33 on page 2). And furthermore, since the bandwidth is allocated between the virtual routers, Wang also anticipates transmission means for using first separated link layers for data transmission in a first virtual network and a second separated link layer for data transmission in a second virtual network.

12. In regards to claim 13, Wang shows in figure 2, a central network 210, connected to customer networks 251-253 (a packet data network). Wang shows in figure 13, a configuration of a router system 1300 with two virtual routers VR1 and VR2 which share the switching fabric bandwidth (sharing network resources); the resource allocator 620 allocates half of the bandwidth of interface 1 to VR1 and half of the bandwidth to VR2 (a first processor configured to separate a plurality of link layers into at least a first separated link layer and a second separated link layer and a second processor configured to allocate predetermined portions of an available link layer capacity to said first separated link layer and a said second separate link layer) (see page 5, paragraphs 71 and 72).

In further regards to claim 13, each virtual router may perform the functions of one or more regional routers, backbone routers, and/or edge routers (see paragraph 55

on page 4) and furthermore, CPEs 240-244 may include one or more routers for connecting a customer network 251-253 to a POP 212-220 (see paragraph 33 on page 2). And furthermore, since the bandwidth is allocated between the virtual routers, Wang also anticipates a transmitter configured to use said first separated link layers for data transmission in a first virtual network and a second separated link layer for data transmission in a second virtual network.

Claim 14 is identical to claim 7.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jay P. Patel whose telephone number is (571) 272-3086. The examiner can normally be reached on M-F 9:00 am - 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edan Orgad can be reached on (571) 272-7884. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Application/Control Number:  
10/748,674  
Art Unit: 2619

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JPP 12/14/07  
Jay P. Patel  
Examiner  
Art Unit 2619

EDAN . ORGAD  
SUPERVISORY PATENT EXAMINER

